

[Microsoft.com Home](#) | [Site Map](#)**Microsoft**

Search Microsoft.com for:

Go

Search for

Go

**Global Development and Computing Portal**

Advanced Search

[GlobalDev Home](#)[Customer Outreach](#)[Get World-Ready](#)[Dr. International](#)[Hands-On](#)[References](#)[Tools & Utilities](#)[Perspectives](#)[About](#)[Contact Us](#)[References](#)

## Code Pages Supported by Windows -- OEM

### OEM Code Pages

The list below provides links to graphical representations, and textual listings, of each of the Windows OEM codepages:

- [437 \(US\)](#)
- [720 \(Arabic\)](#)
- [737 \(Greek\)](#)
- [775 \(Baltic\)](#)
- [850 \(Multilingual Latin I\)](#)
- [852 \(Latin II\)](#)
- [855 \(Cyrillic\)](#)
- [857 \(Turkish\)](#)
- [858 \(Multilingual Latin I + Euro\)](#)
- [862 \(Hebrew\)](#)
- [866 \(Russian\)](#)

The following codepages are used as both Windows ANSI and OEM codepages:

- [874 \(Thai\)](#)
- [932 \(Japanese Shift-JIS\)](#)
- [936 \(Simplified Chinese GBK\)](#)
- [949 \(Korean\)](#)
- [950 \(Traditional Chinese Big5\)](#)
- [1258 \(Vietnam\)](#)

[^ Top](#)[Manage Your Profile](#)©2004 Microsoft Corporation. All rights reserved. [Terms of Use](#) | [Trademarks](#) | [Privacy Statement](#)

Microsoft Windows OEM Codepage : 437 (US)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	Ç	ü	é	â	ä	à	å	ç	ë	è	è	ï	î	ì	Ä	Å
90	É	æ	Æ	ö	ø	ò	û	ù	ÿ	Ö	Ü	¢	£	¥	₭	f
A0	á	í	ó	ú	ñ	Ñ	ª	º	¿	¬	¼	½	¾	¿	«	»
B0	▒	▒	▒													
C0	L	L	T	T	-	+	F	F	L	F	F	T	F	=	F	F
D0	F	T	T	L	L	F	F	F	F	J	F	■	■	■	■	■
E0	α	β	Γ	π	Σ	σ	μ	τ	Φ	Θ	Ω	δ	∞	φ	ε	Π
F0	≡	±	≥	≤	∫	∫	÷	≈	°	·	·	√	²	²	■	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 720 (Arabic)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0 0030	1 0031	2 0032	3 0033	4 0034	5 0035	6 0036	7 0037	8 0038	9 0039	:	;	<	=	>	?
40	@ 0040	A 0041	B 0042	C 0043	D 0044	E 0045	F 0046	G 0047	H 0048	I 0049	J 004A	K 004B	L 004C	M 004D	N 004E	O 004F
50	P 0050	Q 0051	R 0052	S 0053	T 0054	U 0055	V 0056	W 0057	X 0058	Y 0059	Z 005A	[ 005B	\ 005C	] 005D	^ 005E	_ 005F
60	` 0060	a 0061	b 0062	c 0063	d 0064	e 0065	f 0066	g 0067	h 0068	i 0069	j 006A	k 006B	l 006C	m 006D	n 006E	o 006F
70	p 0070	q 0071	r 0072	s 0073	t 0074	u 0075	v 0076	w 0077	x 0078	y 0079	z 007A	{ 007B	 007C	}	~ 007E	<u>DEL</u> 007F
80			é 00E9	â 00E2		à 00E0		ç 00E7	ë 00EA	è 00EB	è 00E8	ï 00EF	ï 00EE			
90		° 0651	° 0652	ö 00F4	» 00A4	— 0640	û 00FB	ù 00F9	ı 0621	ı 0622	ı 0623	ı 0624	£ 00A3	ı 0625	ı 0626	ı 0627
A0	ب 0628	ب 0629	ت 062A	ث 062B	ج 062C	ح 062D	خ 062E	د 062F	ذ 0630	ر 0631	ز 0632	س 0633	ش 0634	ص 0635	« 00AB	» 00BB
B0																
C0																
D0																
E0	ض 0636	ط 0637	ظ 0638	ع 0639	غ 063A	ف 0641	µ 00B5	ق 0642	ك 0643	ل 0644	م 0645	ن 0646	ه 0647	و 0648	ى 0649	ي 064A
F0	≡ 2261							≈ 2248	° 00B0	° 2219	° 00B7	√ 221A	² 207F	² 00B2	■ 25A0	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 737 (Greek)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0 0030	1 0031	2 0032	3 0033	4 0034	5 0035	6 0036	7 0037	8 0038	9 0039	:	;	<	=	>	?
40	@ 0040	A 0041	B 0042	C 0043	D 0044	E 0045	F 0046	G 0047	H 0048	I 0049	J 004A	K 004B	L 004C	M 004D	N 004E	O 004F
50	P 0050	Q 0051	R 0052	S 0053	T 0054	U 0055	V 0056	W 0057	X 0058	Y 0059	Z 005A	[ 005B	\ 005C	] 005D	^ 005E	_ 005F
60	` 0060	a 0061	b 0062	c 0063	d 0064	e 0065	f 0066	g 0067	h 0068	i 0069	j 006A	k 006B	l 006C	m 006D	n 006E	o 006F
70	p 0070	q 0071	r 0072	s 0073	t 0074	u 0075	v 0076	w 0077	x 0078	y 0079	z 007A	{ 007B	 007C	}	~ 007E	<u>DEL</u> 007F
80	Α 0391	Β 0392	Γ 0393	Δ 0394	Ε 0395	Ζ 0396	Η 0397	Θ 0398	Ι 0399	Κ 039A	Λ 039B	Μ 039C	Ν 039D	Ξ 039E	Ο 039F	Π 03A0
90	Ρ 03A1	Σ 03A3	Τ 03A4	Υ 03A5	Φ 03A6	Χ 03A7	Ψ 03A8	Ω 03A9	α 03B1	β 03B2	γ 03B3	δ 03B4	ε 03B5	ζ 03B6	η 03B7	θ 03B8
A0	ι 03B9	κ 03BA	λ 03BB	μ 03BC	ν 03BD	ξ 03BE	ο 03BF	π 03C0	ρ 03C1	σ 03C3	ς 03C2	τ 03C4	υ 03C5	φ 03C6	χ 03C7	ψ 03C8
B0	▒ 2591	▒ 2592	▒ 2593	┆ 2502	┆ 2524	┆ 2561	┆ 2562	┆ 2556	┆ 2555	┆ 2563	┆ 2551	┆ 2557	┆ 255D	┆ 255C	┆ 255B	┆ 2510
C0	┆ 2514	┆ 2534	┆ 252C	┆ 251C	┆ 2500	┆ 253C	┆ 255E	┆ 255F	┆ 255A	┆ 2554	┆ 2569	┆ 2566	┆ 2560	┆ 2550	┆ 256C	┆ 2567
D0	┆ 2568	┆ 2564	┆ 2565	┆ 2559	┆ 2558	┆ 2552	┆ 2553	┆ 256B	┆ 256A	┆ 2518	┆ 250C	▀ 2588	▀ 2584	▀ 258C	▀ 2590	▀ 2580
E0	ω 03C9	ά 03AC	έ 03AD	ή 03AE	ϊ 03CA	ί 03AF	ό 03CC	ύ 03CD	ϋ 03CB	ώ 03CE	Α 0386	Ε 0388	Η 0389	Ι 038A	Ο 038C	Υ 038E
F0	Ω 038F	± 00B1	≥ 2265	≤ 2264	İ 03AA	ÿ 03AB	÷ 00F7	≈ 2248	° 00B0	· 2219	· 00B7	√ 221A	² 207F	² 00B2	■ 25A0	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 775 (Baltic)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	Ć	ü	é	ā	ä	ġ	ā	ć	ł	ē	ŕ	ī	ž	Ä	Å	
90	É	æ	Æ	ō	ö	Ģ	ċ	ś	ś	Ö	Ü	ø	£	Ø	×	*
A0	Ā	Ī	ó	ž	ž	ž	"		©	®	¬	¼	½	¾	«	»
B0	▒	▒	▒			Ą	Č	Ę	É	Ĵ		ŕ	ŕ	ŕ	š	ŕ
C0	Ł	Ł	Ŧ	Ŧ	-	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	Ŧ	=	Ŧ	ž
D0	ą	č	ę	é	ĳ	š	ų	ū	ž	ŕ	ŕ	▀	▀	▀	▀	▀
E0	Ó	ß	ō	Ń	ō	Ō	μ	ń	Ŧ	ķ	Ł	ł	ŕ	Ē	Ŧ	'
F0	-	±	"	¾	Ŧ	Ŧ	÷	"	°	.	.	1	2	2	▀	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 850 (Multilingual Latin I)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	Ç	ù	é	â	ä	à	å	ç	ê	ë	è	ï	î	ì	Å	Ä
90	É	æ	Æ	ö	ø	ò	û	ù	ÿ	Ö	Ü	ø	£	∅	×	f
A0	á	í	ó	ú	ñ	Ñ	ª	º	¿	®	¬	¼	½	¾	¿	»
B0	⌠	⌡	⌢	⌣	⌤	Á	Ã	À	Ⓒ	⌥	⌦	⌧	⌨	Ⓔ	Ⓕ	〈
C0	Ⓕ	Ⓖ	Ⓗ	Ⓘ	Ⓚ	Ⓛ	Ⓜ	Ⓝ	Ⓟ	Ⓠ	Ⓡ	Ⓢ	Ⓣ	Ⓤ	Ⓥ	Ⓦ
D0	Ⓧ	Ⓨ	Ⓩ	ⓐ	ⓑ	ⓓ	ⓔ	ⓕ	ⓖ	ⓗ	ⓘ	ⓙ	ⓚ	ⓛ	ⓜ	ⓝ
E0	ⓞ	ⓟ	ⓠ	ⓡ	ⓢ	ⓣ	ⓤ	ⓥ	ⓦ	ⓧ	ⓨ	ⓩ	⓪	⓫	⓬	⓭
F0	⓮	⓯	⓰	⓱	⓲	⓳	⓴	⓵	⓶	⓷	⓸	⓹	⓺	⓻	⓼	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 852 (Latin II)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	Ç	ü	é	â	ä	û	é	ç	ł	ë	ö	ï	ž	Ä	Ć	
90	É	Í	Í	õ	ö	Ł	ł	Ś	ś	Ö	Ü	Ť	ť	Ł	×	č
A0	á	í	ó	ú	Ą	ą	Ż	ż	Ę	ę	—	ź	č	š	«	»
B0	■	■	■		†	Á	Ā	Ĕ	Ş	†		ŕ	ŕ	Ž	ž	ŕ
C0	L	l	T	t	-	†	Ǻ	ǻ	Ł	ŕ	⊥	ŕ	ŕ	=	†	*
D0	đ	Đ	Ď	Ě	ď	Ň	í	î	ě	ŕ	ŕ	■	■	ŕ	ŕ	■
E0	Ó	ß	Ŏ	Ň	ń	ň	š	š	Ř	Ú	ř	Ů	ý	Ý	ţ	´
F0	-	~	˘	˘	˘	Ŧ	÷	˘	˘	˘	˘	ú	ř	ř	■	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 855 (Cyrillic)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	ђ	Ђ	ѓ	Ѓ	ё	Ё	е	Е	ѕ	Ѕ	і	І	ї	Ї	ј	Ј
90	љ	Љ	њ	Њ	ћ	Ћ	ќ	Ќ	џ	Џ	џ	џ	џ	џ	џ	џ
A0	а	А	б	В	ц	Ц	д	Д	е	Е	ф	Ф	г	Г	«	»
B0	▒	▒	▒		†	х	Х	и	И	‡	‡	‡	‡	‡	‡	‡
C0	ℒ	ℒ	ℒ	ℒ	-	†	к	К	ℒ	ℒ	ℒ	ℒ	ℒ	ℒ	ℒ	ℒ
D0	л	Л	м	М	н	Н	о	О	п	П	■	■	■	■	■	■
E0	я	р	Р	с	С	т	Т	у	У	ж	Ж	в	В	ь	Ь	№
F0	-	ы	Ы	э	Э	ш	Ш	э	Э	щ	Щ	ч	Ч	§	■	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE



Microsoft Windows OEM Codepage : 857 (Turkish)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	Ç	ü	é	â	ä	à	å	ç	ë	è	è	ï	î	ı	Ä	Å
90	É	æ	Æ	ö	ö	ò	û	ù	İ	Ö	Ü	ø	£	Ø	Ş	Ş
A0	á	í	ó	ú	ñ	Ñ	Ğ	ğ	ı	®	¬	¼	½	ı	«	»
B0	■	■	■			Á	Ã	À	©	¶	¶	¶	¶	¶	¶	¶
C0	L	L	T	T	-	+	ã	Ä	ℒ	℞	℞	℞	℞	=	†	*
D0	°	ª	Ê	Ë	È	■	Í	Î	Ï	℄	℄	■	■	ı	İ	■
E0	Ó	ß	Ï	Ò	ó	Õ	μ	■	×	Ú	Û	Ü	ı	ÿ	-	'
F0	-	±	■	¾	¶	§	÷	°	°	°	°	°	°	°	■	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 858 (Multilingual Latin I + Euro)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	! 0021	" 0022	# 0023	\$ 0024	% 0025	& 0026	' 0027	( 0028	) 0029	* 002A	+ 002B	, 002C	- 002D	. 002E	/ 002F
30	0 0030	1 0031	2 0032	3 0033	4 0034	5 0035	6 0036	7 0037	8 0038	9 0039	: 003A	; 003B	< 003C	= 003D	> 003E	? 003F
40	@ 0040	A 0041	B 0042	C 0043	D 0044	E 0045	F 0046	G 0047	H 0048	I 0049	J 004A	K 004B	L 004C	M 004D	N 004E	O 004F
50	P 0050	Q 0051	R 0052	S 0053	T 0054	U 0055	V 0056	W 0057	X 0058	Y 0059	Z 005A	[ 005B	\ 005C	] 005D	^ 005E	_ 005F
60	` 0060	a 0061	b 0062	c 0063	d 0064	e 0065	f 0066	g 0067	h 0068	i 0069	j 006A	k 006B	l 006C	m 006D	n 006E	o 006F
70	p 0070	q 0071	r 0072	s 0073	t 0074	u 0075	v 0076	w 0077	x 0078	y 0079	z 007A	{ 007B	007C	}	~ 007E	<u>DEL</u> 007F
80	Ç 00C7	ü 00FC	é 00E9	â 00E2	ä 00E4	à 00E0	å 00E5	ç 00E7	ë 00EA	è 00EB	è 00E8	ï 00EF	î 00EE	ì 00EC	Ä 00C4	Å 00C5
90	É 00C9	æ 00E6	Æ 00C6	ö 00F4	ö 00F6	ò 00F2	û 00FB	ù 00F9	ÿ 00FF	Ö 00D6	Ü 00DC	ø 00F8	£ 00A3	∅ 00D8	× 00D7	f 0192
A0	á 00E1	í 00ED	ó 00F3	ú 00FA	ñ 00F1	Ñ 00D1	ª 00AA	º 00BA	¿ 00BF	® 00AE	¬ 00AC	¼ 00BD	½ 00BC	¡ 00A1	« 00AB	» 00BB
B0	▒ 2591	▒ 2592	▒ 2593	2502	2524	Á 00C1	Ã 00C2	À 00C0	© 00A9	¶ 2563	2551	¶ 2557	¶ 255D	¢ 00A2	¥ 00A5	⌋ 2510
C0	L 2514	⌋ 2534	⌋ 252C	⌋ 251C	- 2500	† 253C	ã 00E3	Ä 00C3	ℓ 255A	ℓ 2554	⌋ 2569	⌋ 2566	⌋ 2560	= 2550	⌋ 256C	* 00A4
D0	ø 00F0	Ð 00D0	Ê 00CA	Ë 00CB	È 00C8	€ 20AC	Í 00CD	Î 00CE	Ï 00CF	⌋ 2518	ℓ 250C	▀ 2588	▀ 2584	! 00A6	Ï 00CC	▀ 2580
E0	Ó 00D3	ß 00DF	Ô 00D4	Ò 00D2	õ 00F5	Õ 00D5	µ 00B5	þ 00FE	ƒ 00DE	Ú 00DA	Û 00DB	Ù 00D9	Ý 00FD	Ý 00DD	— 00AF	˘ 00B4
F0	- 00AD	± 00B1	= 2017	¾ 00BE	¶ 00B6	§ 00A7	÷ 00F7	˘ 00B8	° 00B0	˙ 00A8	· 00B7	¹ 00B9	º 00B3	² 00B2	▀ 25A0	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 862 (Hebrew)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	א	ב	ג	ד	ה	ו	ז	ח	ט	י	כ	ל	מ	נ	ס	ע
90	פ	צ	ק	ר	ש	ת	ך	ץ	ן	ם	נ	ף	ף	ף	ף	ף
A0	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א
B0	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א
C0	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א
D0	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א
E0	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א
F0	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א	א

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows OEM Codepage : 866 (Russian)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYN</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0 0030	1 0031	2 0032	3 0033	4 0034	5 0035	6 0036	7 0037	8 0038	9 0039	:	;	<	=	>	?
40	@ 0040	A 0041	B 0042	C 0043	D 0044	E 0045	F 0046	G 0047	H 0048	I 0049	J 004A	K 004B	L 004C	M 004D	N 004E	O 004F
50	P 0050	Q 0051	R 0052	S 0053	T 0054	U 0055	V 0056	W 0057	X 0058	Y 0059	Z 005A	[ 005B	\ 005C	] 005D	^ 005E	_ 005F
60	` 0060	a 0061	b 0062	c 0063	d 0064	e 0065	f 0066	g 0067	h 0068	i 0069	j 006A	k 006B	l 006C	m 006D	n 006E	o 006F
70	p 0070	q 0071	r 0072	s 0073	t 0074	u 0075	v 0076	w 0077	x 0078	y 0079	z 007A	{ 007B	 007C	}	~ 007E	<u>DEL</u> 007F
80	А 0410	В 0411	В 0412	Г 0413	Д 0414	Е 0415	Ж 0416	З 0417	И 0418	Й 0419	К 041A	Л 041B	М 041C	Н 041D	О 041E	П 041F
90	Р 0420	С 0421	Т 0422	У 0423	Ф 0424	Х 0425	Ц 0426	Ч 0427	Ш 0428	Щ 0429	Ъ 042A	Ы 042B	Ь 042C	Э 042D	Ю 042E	Я 042F
A0	а 0430	б 0431	в 0432	г 0433	д 0434	е 0435	ж 0436	з 0437	и 0438	й 0439	к 043A	л 043B	м 043C	н 043D	о 043E	п 043F
B0	▒ 2591	▒ 2592	▒ 2593	▒ 2502	▒ 2524	▒ 2561	▒ 2562	▒ 2556	▒ 2555	▒ 2563	▒ 2551	▒ 2557	▒ 255D	▒ 255C	▒ 255B	▒ 2510
C0	▒ 2514	▒ 2534	▒ 252C	▒ 251C	▒ 2500	▒ 253C	▒ 255E	▒ 255F	▒ 255A	▒ 2554	▒ 2569	▒ 2566	▒ 2560	▒ 2550	▒ 256C	▒ 2567
D0	▒ 2568	▒ 2564	▒ 2565	▒ 2559	▒ 2558	▒ 2552	▒ 2553	▒ 256B	▒ 256A	▒ 2518	▒ 250C	▒ 2588	▒ 2584	▒ 258C	▒ 2590	▒ 2580
E0	р 0440	с 0441	т 0442	у 0443	ф 0444	х 0445	ц 0446	ч 0447	ш 0448	щ 0449	ъ 044A	ы 044B	ь 044C	э 044D	ю 044E	я 044F
F0	Ё 0401	ё 0451	ѐ 0404	е 0454	ї 0407	і 0457	ÿ 040E	ÿ 045E	° 00B0	· 2219	· 00B7	√ 221A	№ 2116	※ 00A4	■ 25A0	<u>NBSP</u> 00A0

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

## Microsoft Windows Codepage : 874 (Thai)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F	
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYM</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F	
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/	
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?	
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_	
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F	
80	€ 20AC					… 2026											
90		\\	/	“	”	•	—	—									
A0	<u>NBSP</u> 00A0	ก	ข	ฃ	ค	ฅ	ฆ	ง	จ	ฉ	ช	ฌ	ฎ	ฎ	ฏ	ฐ	
B0	ฐ	ฑ	ฒ	ณ	ด	ต	ถ	ท	ธ	น	บ	ป	ผ	ฝ	พ	ฟ	
C0	ภ	ม	ย	ร	ล	ว	ศ	ษ	ส	ห	ฬ	อ	ฮ	ย	๗		
D0	๘	๙	๐	๑	๒	๓	๔	๕	๖	๗	๘	๙					฿ 0E3F
E0	๐	๑	๒	๓	๔	๕	๖	๗	๘	๙	๐	๑	๒	๓	๔	๕	๐
F0	๐	๑	๒	๓	๔	๕	๖	๗	๘	๙	๐	๑	๒	๓	๔	๕	๐

- 00 = U+0000 : NULL  
 01 = U+0001 : START OF HEADING  
 02 = U+0002 : START OF TEXT  
 03 = U+0003 : END OF TEXT  
 04 = U+0004 : END OF TRANSMISSION  
 05 = U+0005 : ENQUIRY  
 06 = U+0006 : ACKNOWLEDGE  
 07 = U+0007 : BELL  
 08 = U+0008 : BACKSPACE  
 09 = U+0009 : HORIZONTAL TABULATION  
 0A = U+000A : LINE FEED  
 0B = U+000B : VERTICAL TABULATION  
 0C = U+000C : FORM FEED  
 0D = U+000D : CARRIAGE RETURN  
 0E = U+000E : SHIFT OUT  
 0F = U+000F : SHIFT IN  
 10 = U+0010 : DATA LINK ESCAPE  
 11 = U+0011 : DEVICE CONTROL ONE  
 12 = U+0012 : DEVICE CONTROL TWO  
 13 = U+0013 : DEVICE CONTROL THREE  
 14 = U+0014 : DEVICE CONTROL FOUR  
 15 = U+0015 : NEGATIVE ACKNOWLEDGE  
 16 = U+0016 : SYNCHRONOUS IDLE

## Microsoft Windows Codepage : 932 (Japanese Shift-JIS)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYM</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	¥	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80		<u>81</u>	<u>82</u>	<u>83</u>	<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>88</u>	<u>89</u>	<u>8A</u>	<u>8B</u>	<u>8C</u>	<u>8D</u>	<u>8E</u>	<u>8F</u>
90	<u>90</u>	<u>91</u>	<u>92</u>	<u>93</u>	<u>94</u>	<u>95</u>	<u>96</u>	<u>97</u>	<u>98</u>	<u>99</u>	<u>9A</u>	<u>9B</u>	<u>9C</u>	<u>9D</u>	<u>9E</u>	<u>9F</u>
A0		。	「	」	、	・	ヲ	ア	イ	ウ	エ	オ	ヤ	ユ	ヨ	ツ
B0	ー	ア	イ	ウ	エ	オ	カ	キ	ク	ケ	コ	サ	シ	ス	セ	ソ
C0	タ	チ	ツ	テ	ト	ナ	ニ	ヌ	ネ	ノ	ハ	ヒ	フ	ヘ	ホ	マ
D0	ミ	ム	メ	モ	ヤ	ユ	ヨ	ラ	リ	ル	レ	ロ	ワ	ヰ	ヱ	ヰ
E0	<u>E0</u>	<u>E1</u>	<u>E2</u>	<u>E3</u>	<u>E4</u>	<u>E5</u>	<u>E6</u>	<u>E7</u>	<u>E8</u>	<u>E9</u>	<u>EA</u>	<u>EB</u>	<u>EC</u>	<u>ED</u>	<u>EE</u>	<u>EF</u>
F0	<u>FO</u>	<u>F1</u>	<u>F2</u>	<u>F3</u>	<u>F4</u>	<u>F5</u>	<u>F6</u>	<u>F7</u>	<u>F8</u>	<u>F9</u>	<u>FA</u>	<u>FB</u>	<u>FC</u>			

- 00 = U+0000 : NULL
- 01 = U+0001 : START OF HEADING
- 02 = U+0002 : START OF TEXT
- 03 = U+0003 : END OF TEXT
- 04 = U+0004 : END OF TRANSMISSION
- 05 = U+0005 : ENQUIRY
- 06 = U+0006 : ACKNOWLEDGE
- 07 = U+0007 : BELL
- 08 = U+0008 : BACKSPACE
- 09 = U+0009 : HORIZONTAL TABULATION
- 0A = U+000A : LINE FEED
- 0B = U+000B : VERTICAL TABULATION
- 0C = U+000C : FORM FEED
- 0D = U+000D : CARRIAGE RETURN
- 0E = U+000E : SHIFT OUT
- 0F = U+000F : SHIFT IN
- 10 = U+0010 : DATA LINK ESCAPE
- 11 = U+0011 : DEVICE CONTROL ONE
- 12 = U+0012 : DEVICE CONTROL TWO
- 13 = U+0013 : DEVICE CONTROL THREE
- 14 = U+0014 : DEVICE CONTROL FOUR
- 15 = U+0015 : NEGATIVE ACKNOWLEDGE
- 16 = U+0016 : SYNCHRONOUS IDLE

**Microsoft Windows Codepage : 932 (Japanese Shift-JIS)**

Lead Byte = 0x81

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	
40	3000	3001	3002	FF0C	FF0E	30FB	FF1A	FF1B	FF1F	FF01	309B	309C	00B4	FF40	00A8	FF3E	
50	FFE3	FF3F	30FD	30FE	309D	309E	3003	4EDD	3005	3006	3007	30FC	2015	2010	FF0F	FF3C	
60	FF5E	2225	FF5C	2026	2025	2018	2019	201C	201D	FF08	FF09	3014	3015	FF3B	FF3D	FF5B	
70	FF5D	3008	3009	300A	300B	300C	300D	300E	300F	3010	3011	FF0B	FF0D	00B1	00D7		
80	00F7	FF1D	2260	FF1C	FF1E	2266	2267	221E	2234	2642	2640	00B0	2032	2033	2103	FFE5	
90	FF04	FFE0	FFE1	FF05	FF03	FF06	FF0A	FF20	00A7	2606	2605	25CB	25CF	25CE	25C7	25C6	
A0	25A1	25A0	25B3	25B2	25BD	25BC	203B	3012	2192	2190	2191	2193	3013				
B0									2208	220B	2286	2287	2282	2283	222A	2229	
C0									2227	2228	FFE2	21D2	21D4	2200	2203		
D0												2220	22A5	2312	2202	2207	2261
E0	2252	226A	226B	221A	223D	221D	2235	222B	222C								
F0	212B	2030	266F	266D	266A	2020	2021	00B6					25EF				

- 8140 = U+3000 : IDEOGRAPHIC SPACE  
 8141 = U+3001 : IDEOGRAPHIC COMMA  
 8142 = U+3002 : IDEOGRAPHIC FULL STOP  
 8143 = U+FF0C : FULLWIDTH COMMA  
 8144 = U+FF0E : FULLWIDTH FULL STOP  
 8145 = U+30FB : KATAKANA MIDDLE DOT  
 8146 = U+FF1A : FULLWIDTH COLON  
 8147 = U+FF1B : FULLWIDTH SEMI COLON  
 8148 = U+FF1F : FULLWIDTH QUESTION MARK  
 8149 = U+FF01 : FULLWIDTH EXCLAMATION MARK  
 814A = U+309B : KATAKANA-HIRAGANA VOICED SOUND MARK  
 814B = U+309C : KATAKANA-HIRAGANA SEMI-VOICED SOUND MARK  
 814C = U+00B4 : ACUTE ACCENT  
 814D = U+FF40 : FULLWIDTH GRAVE ACCENT  
 814E = U+00A8 : DIAERESIS  
 814F = U+FF3E : FULLWIDTH CIRCUMFLEX ACCENT  
 8150 = U+FFE3 : FULLWIDTH MACRON  
 8151 = U+FF3F : FULLWIDTH LOW LINE  
 8152 = U+30FD : KATAKANA ITERATION MARK  
 8153 = U+30FE : KATAKANA VOICED ITERATION MARK  
 8154 = U+309D : HIRAGANA ITERATION MARK  
 8155 = U+309E : HIRAGANA VOICED ITERATION MARK  
 8156 = U+3003 : DITTO MARK  
 8157 = U+4EDD : CJK UNIFIED IDEOGRAPH  
 8158 = U+3005 : IDEOGRAPHIC ITERATION MARK  
 8159 = U+3006 : IDEOGRAPHIC CLOSING MARK  
 815A = U+3007 : IDEOGRAPHIC NUMBER ZERO  
 815B = U+30FC : KATAKANA-HIRAGANA PROLONGED SOUND MARK

## Microsoft Windows Codepage: 936 (Simplified Chinese GBK)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYM</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	<u>!</u> 0021	<u>"</u> 0022	<u>#</u> 0023	<u>\$</u> 0024	<u>%</u> 0025	<u>&amp;</u> 0026	<u>'</u> 0027	<u>(</u> 0028	<u>)</u> 0029	<u>*</u> 002A	<u>+</u> 002B	<u>,</u> 002C	<u>-</u> 002D	<u>.</u> 002E	<u>/</u> 002F
30	<u>0</u> 0030	<u>1</u> 0031	<u>2</u> 0032	<u>3</u> 0033	<u>4</u> 0034	<u>5</u> 0035	<u>6</u> 0036	<u>7</u> 0037	<u>8</u> 0038	<u>9</u> 0039	<u>:</u> 003A	<u>;</u> 003B	<u>&lt;</u> 003C	<u>=</u> 003D	<u>&gt;</u> 003E	<u>?</u> 003F
40	<u>@</u> 0040	<u>A</u> 0041	<u>B</u> 0042	<u>C</u> 0043	<u>D</u> 0044	<u>E</u> 0045	<u>F</u> 0046	<u>G</u> 0047	<u>H</u> 0048	<u>I</u> 0049	<u>J</u> 004A	<u>K</u> 004B	<u>L</u> 004C	<u>M</u> 004D	<u>N</u> 004E	<u>O</u> 004F
50	<u>P</u> 0050	<u>Q</u> 0051	<u>R</u> 0052	<u>S</u> 0053	<u>T</u> 0054	<u>U</u> 0055	<u>V</u> 0056	<u>W</u> 0057	<u>X</u> 0058	<u>Y</u> 0059	<u>Z</u> 005A	<u>[</u> 005B	<u>\</u> 005C	<u>]</u> 005D	<u>^</u> 005E	<u>_</u> 005F
60	<u>`</u> 0060	<u>a</u> 0061	<u>b</u> 0062	<u>c</u> 0063	<u>d</u> 0064	<u>e</u> 0065	<u>f</u> 0066	<u>g</u> 0067	<u>h</u> 0068	<u>i</u> 0069	<u>j</u> 006A	<u>k</u> 006B	<u>l</u> 006C	<u>m</u> 006D	<u>n</u> 006E	<u>o</u> 006F
70	<u>p</u> 0070	<u>q</u> 0071	<u>r</u> 0072	<u>s</u> 0073	<u>t</u> 0074	<u>u</u> 0075	<u>v</u> 0076	<u>w</u> 0077	<u>x</u> 0078	<u>y</u> 0079	<u>z</u> 007A	<u>{</u> 007B	<u> </u> 007C	<u>}</u> 007D	<u>~</u> 007E	<u>DEL</u> 007F
80	<u>€</u> 20AC	<u>81</u> 0081	<u>82</u> 0082	<u>83</u> 0083	<u>84</u> 0084	<u>85</u> 0085	<u>86</u> 0086	<u>87</u> 0087	<u>88</u> 0088	<u>89</u> 0089	<u>8A</u> 008A	<u>8B</u> 008B	<u>8C</u> 008C	<u>8D</u> 008D	<u>8E</u> 008E	<u>8F</u> 008F
90	<u>90</u> 0090	<u>91</u> 0091	<u>92</u> 0092	<u>93</u> 0093	<u>94</u> 0094	<u>95</u> 0095	<u>96</u> 0096	<u>97</u> 0097	<u>98</u> 0098	<u>99</u> 0099	<u>9A</u> 009A	<u>9B</u> 009B	<u>9C</u> 009C	<u>9D</u> 009D	<u>9E</u> 009E	<u>9F</u> 009F
AA	<u>AA</u> 00AA	<u>A1</u> 00A1	<u>A2</u> 00A2	<u>A3</u> 00A3	<u>A4</u> 00A4	<u>A5</u> 00A5	<u>A6</u> 00A6	<u>A7</u> 00A7	<u>A8</u> 00A8	<u>A9</u> 00A9	<u>AA</u> 00AA	<u>AB</u> 00AB	<u>AC</u> 00AC	<u>AD</u> 00AD	<u>AE</u> 00AE	<u>AF</u> 00AF
BA	<u>BA</u> 00BA	<u>B1</u> 00B1	<u>B2</u> 00B2	<u>B3</u> 00B3	<u>B4</u> 00B4	<u>B5</u> 00B5	<u>B6</u> 00B6	<u>B7</u> 00B7	<u>B8</u> 00B8	<u>B9</u> 00B9	<u>BA</u> 00BA	<u>BB</u> 00BB	<u>BC</u> 00BC	<u>BD</u> 00BD	<u>BE</u> 00BE	<u>BF</u> 00BF
CA	<u>CA</u> 00CA	<u>C1</u> 00C1	<u>C2</u> 00C2	<u>C3</u> 00C3	<u>C4</u> 00C4	<u>C5</u> 00C5	<u>C6</u> 00C6	<u>C7</u> 00C7	<u>C8</u> 00C8	<u>C9</u> 00C9	<u>CA</u> 00CA	<u>CB</u> 00CB	<u>CC</u> 00CC	<u>CD</u> 00CD	<u>CE</u> 00CE	<u>CF</u> 00CF
DA	<u>DA</u> 00DA	<u>D1</u> 00D1	<u>D2</u> 00D2	<u>D3</u> 00D3	<u>D4</u> 00D4	<u>D5</u> 00D5	<u>D6</u> 00D6	<u>D7</u> 00D7	<u>D8</u> 00D8	<u>D9</u> 00D9	<u>DA</u> 00DA	<u>DB</u> 00DB	<u>DC</u> 00DC	<u>DD</u> 00DD	<u>DE</u> 00DE	<u>DF</u> 00DF
EA	<u>EA</u> 00EA	<u>E1</u> 00E1	<u>E2</u> 00E2	<u>E3</u> 00E3	<u>E4</u> 00E4	<u>E5</u> 00E5	<u>E6</u> 00E6	<u>E7</u> 00E7	<u>E8</u> 00E8	<u>E9</u> 00E9	<u>EA</u> 00EA	<u>EB</u> 00EB	<u>EC</u> 00EC	<u>ED</u> 00ED	<u>EE</u> 00EE	<u>EF</u> 00EF
FA	<u>FA</u> 00FA	<u>F1</u> 00F1	<u>F2</u> 00F2	<u>F3</u> 00F3	<u>F4</u> 00F4	<u>F5</u> 00F5	<u>F6</u> 00F6	<u>F7</u> 00F7	<u>F8</u> 00F8	<u>F9</u> 00F9	<u>FA</u> 00FA	<u>FB</u> 00FB	<u>FC</u> 00FC	<u>FD</u> 00FD	<u>FE</u> 00FE	

00 = U+0000 : NULL  
 01 = U+0001 : START OF HEADING  
 02 = U+0002 : START OF TEXT  
 03 = U+0003 : END OF TEXT  
 04 = U+0004 : END OF TRANSMISSION  
 05 = U+0005 : ENQUIRY  
 06 = U+0006 : ACKNOWLEDGE  
 07 = U+0007 : BELL  
 08 = U+0008 : BACKSPACE  
 09 = U+0009 : HORIZONTAL TABULATION  
 0A = U+000A : LINE FEED  
 0B = U+000B : VERTICAL TABULATION  
 0C = U+000C : FORM FEED  
 0D = U+000D : CARRIAGE RETURN  
 0E = U+000E : SHIFT OUT  
 0F = U+000F : SHIFT IN  
 10 = U+0010 : DATA LINK ESCAPE  
 11 = U+0011 : DEVICE CONTROL ONE  
 12 = U+0012 : DEVICE CONTROL TWO  
 13 = U+0013 : DEVICE CONTROL THREE  
 14 = U+0014 : DEVICE CONTROL FOUR  
 15 = U+0015 : NEGATIVE ACKNOWLEDGE  
 16 = U+0016 : SYNCHRONOUS IDLE





Microsoft Windows Codepage : 936 (Simplified Chinese GBK) 

Lead Byte = 0x81

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
40	𠂇 4E02	𠂈 4E04	𠂉 4E05	𠂊 4E06	𠂋 4E0F	𠂌 4E12	𠂍 4E17	𠂎 4E1F	𠂏 4E20	𠂐 4E21	𠂑 4E23	並 4E26	𠂒 4E29	𠂓 4E2E	𠂔 4E2F	𠂕 4E31
50	弗 4E33	𠂖 4E35	𠂗 4E37	井 4E3C	𠂘 4E40	𠂙 4E41	𠂚 4E42	𠂛 4E44	𠂜 4E46	𠂝 4E4A	𠂞 4E51	𠂟 4E55	乘 4E57	𠂠 4E5A	𠂡 4E5B	𠂢 4E62
60	𠂣 4E63	𠂤 4E64	𠂥 4E65	𠂦 4E67	𠂧 4E68	𠂨 4E6A	𠂩 4E6B	𠂪 4E6C	𠂫 4E6D	𠂬 4E6E	𠂭 4E6F	𠂮 4E72	𠂯 4E74	𠂰 4E75	𠂱 4E76	𠂲 4E77
70	𠂳 4E78	𠂴 4E79	𠂵 4E7A	𠂶 4E7B	𠂷 4E7C	𠂸 4E7D	𠂹 4E7F	𠂺 4E80	𠂻 4E81	𠂼 4E82	𠂽 4E83	𠂾 4E84	𠂿 4E85	𠃀 4E87	𠃁 4E8A	
80	𠃂 4E90	𠃃 4E96	𠃄 4E97	𠃅 4E99	𠃆 4E9C	𠃇 4E9D	𠃈 4E9E	𠃉 4EA3	𠃊 4EAA	𠃋 4EAF	𠃌 4EB0	𠃍 4EB1	𠃎 4EB4	𠃏 4EB6	𠃐 4EB7	𠃑 4EB8
90	𠃒 4EB9	𠃓 4EBC	𠃔 4EBD	𠃕 4EBE	𠃖 4EC8	𠃗 4ECC	𠃘 4ECF	𠃙 4ED0	𠃚 4ED2	𠃛 4EDA	𠃜 4EDB	𠃝 4EDC	𠃞 4EE0	𠃟 4EE2	𠃠 4EE6	𠃡 4EE7
A0	𠃢 4EE9	𠃣 4EED	𠃤 4EEE	𠃥 4EEF	𠃦 4EF1	𠃧 4EF4	𠃨 4EF8	𠃩 4EF9	𠃪 4EFA	𠃫 4EFC	𠃬 4EFE	𠃭 4F00	𠃮 4F02	𠃯 4F03	𠃰 4F04	𠃱 4F05
B0	𠃲 4F06	𠃳 4F07	𠃴 4F08	𠃵 4F0B	𠃶 4F0C	𠃷 4F12	𠃸 4F13	𠃹 4F14	𠃺 4F15	𠃻 4F16	𠃼 4F1C	𠃽 4F1D	𠃾 4F21	𠃿 4F23	𠄀 4F28	𠄁 4F29
C0	𠄂 4F2C	𠄃 4F2D	𠄄 4F2E	𠄅 4F31	𠄆 4F33	𠄇 4F35	𠄈 4F37	𠄉 4F39	𠄊 4F3B	𠄋 4F3E	𠄌 4F3F	𠄍 4F40	𠄎 4F41	𠄏 4F42	𠄐 4F44	𠄑 4F45
D0	𠄒 4F47	𠄓 4F48	𠄔 4F49	𠄕 4F4A	𠄖 4F4B	𠄗 4F4C	𠄘 4F52	𠄙 4F54	𠄚 4F56	𠄛 4F61	𠄜 4F62	𠄝 4F66	𠄞 4F68	𠄟 4F6A	𠄠 4F6B	𠄡 4F6D
E0	𠄣 4F6E	𠄤 4F71	𠄥 4F72	𠄦 4F75	𠄧 4F77	𠄨 4F78	𠄩 4F79	𠄪 4F7A	𠄫 4F7D	𠄬 4F80	𠄭 4F81	𠄮 4F82	𠄯 4F85	𠄰 4F86	𠄱 4F87	𠄲 4F8A
F0	𠄳 4F8C	𠄴 4F8E	𠄵 4F90	𠄶 4F92	𠄷 4F93	𠄸 4F95	𠄹 4F96	𠄺 4F98	𠄻 4F99	𠄼 4F9A	𠄽 4F9C	𠄾 4F9E	𠄿 4F9F	𠅀 4FA1	𠅁 4FA2	

8140 = U+4E02 : CJK UNIFIED IDEOGRAPH  
 8141 = U+4E04 : CJK UNIFIED IDEOGRAPH  
 8142 = U+4E05 : CJK UNIFIED IDEOGRAPH  
 8143 = U+4E06 : CJK UNIFIED IDEOGRAPH  
 8144 = U+4E0F : CJK UNIFIED IDEOGRAPH  
 8145 = U+4E12 : CJK UNIFIED IDEOGRAPH  
 8146 = U+4E17 : CJK UNIFIED IDEOGRAPH  
 8147 = U+4E1F : CJK UNIFIED IDEOGRAPH  
 8148 = U+4E20 : CJK UNIFIED IDEOGRAPH  
 8149 = U+4E21 : CJK UNIFIED IDEOGRAPH  
 814A = U+4E23 : CJK UNIFIED IDEOGRAPH  
 814B = U+4E26 : CJK UNIFIED IDEOGRAPH  
 814C = U+4E29 : CJK UNIFIED IDEOGRAPH  
 814D = U+4E2E : CJK UNIFIED IDEOGRAPH  
 814E = U+4E2F : CJK UNIFIED IDEOGRAPH  
 814F = U+4E31 : CJK UNIFIED IDEOGRAPH  
 8150 = U+4E33 : CJK UNIFIED IDEOGRAPH  
 8151 = U+4E35 : CJK UNIFIED IDEOGRAPH  
 8152 = U+4E37 : CJK UNIFIED IDEOGRAPH  
 8153 = U+4E3C : CJK UNIFIED IDEOGRAPH  
 8154 = U+4E40 : CJK UNIFIED IDEOGRAPH  
 8155 = U+4E41 : CJK UNIFIED IDEOGRAPH  
 8156 = U+4E42 : CJK UNIFIED IDEOGRAPH  
 8157 = U+4E44 : CJK UNIFIED IDEOGRAPH  
 8158 = U+4E46 : CJK UNIFIED IDEOGRAPH  
 8159 = U+4E4A : CJK UNIFIED IDEOGRAPH  
 815A = U+4E51 : CJK UNIFIED IDEOGRAPH  
 815B = U+4E55 : CJK UNIFIED IDEOGRAPH

## Microsoft Windows Codepage : 949 (Korean)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYM</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	<u>!</u> 0021	<u>"</u> 0022	<u>#</u> 0023	<u>\$</u> 0024	<u>%</u> 0025	<u>&amp;</u> 0026	<u>'</u> 0027	<u>(</u> 0028	<u>)</u> 0029	<u>*</u> 002A	<u>+</u> 002B	<u>,</u> 002C	<u>-</u> 002D	<u>.</u> 002E	<u>/</u> 002F
30	<u>0</u> 0030	<u>1</u> 0031	<u>2</u> 0032	<u>3</u> 0033	<u>4</u> 0034	<u>5</u> 0035	<u>6</u> 0036	<u>7</u> 0037	<u>8</u> 0038	<u>9</u> 0039	<u>:</u> 003A	<u>;</u> 003B	<u>&lt;</u> 003C	<u>=</u> 003D	<u>&gt;</u> 003E	<u>?</u> 003F
40	<u>@</u> 0040	<u>A</u> 0041	<u>B</u> 0042	<u>C</u> 0043	<u>D</u> 0044	<u>E</u> 0045	<u>F</u> 0046	<u>G</u> 0047	<u>H</u> 0048	<u>I</u> 0049	<u>J</u> 004A	<u>K</u> 004B	<u>L</u> 004C	<u>M</u> 004D	<u>N</u> 004E	<u>O</u> 004F
50	<u>P</u> 0050	<u>Q</u> 0051	<u>R</u> 0052	<u>S</u> 0053	<u>T</u> 0054	<u>U</u> 0055	<u>V</u> 0056	<u>W</u> 0057	<u>X</u> 0058	<u>Y</u> 0059	<u>Z</u> 005A	<u>[</u> 005B	<u>₩</u> 005C	<u>]</u> 005D	<u>^</u> 005E	<u>_</u> 005F
60	<u>`</u> 0060	<u>a</u> 0061	<u>b</u> 0062	<u>c</u> 0063	<u>d</u> 0064	<u>e</u> 0065	<u>f</u> 0066	<u>g</u> 0067	<u>h</u> 0068	<u>i</u> 0069	<u>j</u> 006A	<u>k</u> 006B	<u>l</u> 006C	<u>m</u> 006D	<u>n</u> 006E	<u>o</u> 006F
70	<u>p</u> 0070	<u>q</u> 0071	<u>r</u> 0072	<u>s</u> 0073	<u>t</u> 0074	<u>u</u> 0075	<u>v</u> 0076	<u>w</u> 0077	<u>x</u> 0078	<u>y</u> 0079	<u>z</u> 007A	<u>{</u> 007B	<u> </u> 007C	<u>}</u> 007D	<u>~</u> 007E	<u>DEL</u> 007F
80		<u>81</u>	<u>82</u>	<u>83</u>	<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>88</u>	<u>89</u>	<u>8A</u>	<u>8B</u>	<u>8C</u>	<u>8D</u>	<u>8E</u>	<u>8F</u>
90	<u>90</u>	<u>91</u>	<u>92</u>	<u>93</u>	<u>94</u>	<u>95</u>	<u>96</u>	<u>97</u>	<u>98</u>	<u>99</u>	<u>9A</u>	<u>9B</u>	<u>9C</u>	<u>9D</u>	<u>9E</u>	<u>9F</u>
AA	<u>AA</u>	<u>A1</u>	<u>A2</u>	<u>A3</u>	<u>A4</u>	<u>A5</u>	<u>A6</u>	<u>A7</u>	<u>A8</u>	<u>A9</u>	<u>AA</u>	<u>AB</u>	<u>AC</u>	<u>AD</u>	<u>AE</u>	<u>AF</u>
BA	<u>BA</u>	<u>B1</u>	<u>B2</u>	<u>B3</u>	<u>B4</u>	<u>B5</u>	<u>B6</u>	<u>B7</u>	<u>B8</u>	<u>B9</u>	<u>BA</u>	<u>BB</u>	<u>BC</u>	<u>BD</u>	<u>BE</u>	<u>BF</u>
CA	<u>CA</u>	<u>C1</u>	<u>C2</u>	<u>C3</u>	<u>C4</u>	<u>C5</u>	<u>C6</u>	<u>C7</u>	<u>C8</u>	<u>C9</u>	<u>CA</u>	<u>CB</u>	<u>CC</u>	<u>CD</u>	<u>CE</u>	<u>CF</u>
DA	<u>DA</u>	<u>D1</u>	<u>D2</u>	<u>D3</u>	<u>D4</u>	<u>D5</u>	<u>D6</u>	<u>D7</u>	<u>D8</u>	<u>D9</u>	<u>DA</u>	<u>DB</u>	<u>DC</u>	<u>DD</u>	<u>DE</u>	<u>DF</u>
EA	<u>EA</u>	<u>E1</u>	<u>E2</u>	<u>E3</u>	<u>E4</u>	<u>E5</u>	<u>E6</u>	<u>E7</u>	<u>E8</u>	<u>E9</u>	<u>EA</u>	<u>EB</u>	<u>EC</u>	<u>ED</u>	<u>EE</u>	<u>EF</u>
FA	<u>FA</u>	<u>F1</u>	<u>F2</u>	<u>F3</u>	<u>F4</u>	<u>F5</u>	<u>F6</u>	<u>F7</u>	<u>F8</u>	<u>F9</u>	<u>FA</u>	<u>FB</u>	<u>FC</u>	<u>FD</u>	<u>FE</u>	

00 = U+0000 : NULL  
 01 = U+0001 : START OF HEADING  
 02 = U+0002 : START OF TEXT  
 03 = U+0003 : END OF TEXT  
 04 = U+0004 : END OF TRANSMISSION  
 05 = U+0005 : ENQUIRY  
 06 = U+0006 : ACKNOWLEDGE  
 07 = U+0007 : BELL  
 08 = U+0008 : BACKSPACE  
 09 = U+0009 : HORIZONTAL TABULATION  
 0A = U+000A : LINE FEED  
 0B = U+000B : VERTICAL TABULATION  
 0C = U+000C : FORM FEED  
 0D = U+000D : CARRIAGE RETURN  
 0E = U+000E : SHIFT OUT  
 0F = U+000F : SHIFT IN  
 10 = U+0010 : DATA LINK ESCAPE  
 11 = U+0011 : DEVICE CONTROL ONE  
 12 = U+0012 : DEVICE CONTROL TWO  
 13 = U+0013 : DEVICE CONTROL THREE  
 14 = U+0014 : DEVICE CONTROL FOUR  
 15 = U+0015 : NEGATIVE ACKNOWLEDGE  
 16 = U+0016 : SYNCHRONOUS IDLE

Microsoft Windows Codepage : 949 (Korean)



Lead Bvte = 0x81

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
40		각	간	간	간	감	갈	갈	갈	갈	각	객	객	객	객	객
		AC02	AC03	AC05	AC06	AC0B	AC0C	AC0D	AC0E	AC0F	AC18	AC1E	AC1F	AC21	AC22	AC23
50	개	개	개	개	개	개	개	개	개	개	개					
	AC25	AC26	AC27	AC28	AC29	AC2A	AC2B	AC2E	AC32	AC33	AC34					
60		개	개	개	각	간	간	간	간	각	감	감	감	감	감	감
		AC35	AC36	AC37	AC3A	AC3B	AC3D	AC3E	AC3F	AC41	AC42	AC43	AC44	AC45	AC46	AC47
70	감	갑	갑	갓	갓	갓	갓	갓	갓	갓	객					
	AC48	AC49	AC4A	AC4C	AC4E	AC4F	AC50	AC51	AC52	AC53	AC55					
80	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	AC56	AC57	AC59	AC5A	AC5B	AC5D	AC5E	AC5F	AC60	AC61	AC62	AC63	AC64	AC65	AC66	
90	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	AC67	AC68	AC69	AC6A	AC6B	AC6C	AC6D	AC6E	AC6F	AC72	AC73	AC75	AC76	AC79	AC7B	AC7C
A0	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	AC7D	AC7E	AC7F	AC82	AC87	AC88	AC8D	AC8E	AC8F	AC91	AC92	AC93	AC95	AC96	AC97	AC98
B0	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	AC99	AC9A	AC9B	AC9E	ACA2	ACA3	ACA4	ACA5	ACA6	ACA7	ACAB	ACAD	ACAE	ACB1	ACB2	ACB3
C0	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	ACB4	ACB5	ACB6	ACB7	ACBA	ACBE	ACBF	ACC0	ACC2	ACC3	ACC5	ACC6	ACC7	ACC9	ACCA	ACCB
D0	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	ACCD	ACCE	ACCF	ACD0	ACD1	ACD2	ACD3	ACD4	ACD6	ACD8	ACD9	ACDA	ACDB	ACDC	ACDD	ACDE
E0	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객	객
	ACDF	ACE2	ACE3	ACE5	ACE6	ACE9	ACEB	ACED	ACEE	ACF2	ACF4	ACF7	ACF8	ACF9	ACFA	ACFB
F0	관	관	관	관	관	관	관	관	관	관	관	관	관	관	관	
	ACFE	ACFF	AD01	AD02	AD03	AD05	AD07	AD08	AD09	AD0A	AD0B	AD0E	AD10	AD12	AD13	

- 8141 = U+AC02 : HANGUL SYLLABLE KI YEOK A SSANGKIYEOK
- 8142 = U+AC03 : HANGUL SYLLABLE KI YEOK A KIYEOKSIOS
- 8143 = U+AC05 : HANGUL SYLLABLE KI YEOK A NI EUNCI EUC
- 8144 = U+AC06 : HANGUL SYLLABLE KI YEOK A NI EUNHI EUH
- 8145 = U+AC0B : HANGUL SYLLABLE KI YEOK A RI EULPI EUP
- 8146 = U+AC0C : HANGUL SYLLABLE KI YEOK A RI EULSIOS
- 8147 = U+AC0D : HANGUL SYLLABLE KI YEOK A RI EULTHI EUTH
- 8148 = U+AC0E : HANGUL SYLLABLE KI YEOK A RI EULPHI EUPH
- 8149 = U+AC0F : HANGUL SYLLABLE KI YEOK A RI EULHI EUH
- 814A = U+AC18 : HANGUL SYLLABLE KI YEOK A KHI EUKH
- 814B = U+AC1E : HANGUL SYLLABLE KI YEOK AE SSANGKIYEOK
- 814C = U+AC1F : HANGUL SYLLABLE KI YEOK AE KIYEOKSIOS
- 814D = U+AC21 : HANGUL SYLLABLE KI YEOK AE NI EUNCI EUC
- 814E = U+AC22 : HANGUL SYLLABLE KI YEOK AE NI EUNHI EUH
- 814F = U+AC23 : HANGUL SYLLABLE KI YEOK AE TI KEUT
- 8150 = U+AC25 : HANGUL SYLLABLE KI YEOK AE RI EULKI YEOK
- 8151 = U+AC26 : HANGUL SYLLABLE KI YEOK AE RI EULMI EUM
- 8152 = U+AC27 : HANGUL SYLLABLE KI YEOK AE RI EULPI EUP
- 8153 = U+AC28 : HANGUL SYLLABLE KI YEOK AE RI EULSIOS
- 8154 = U+AC29 : HANGUL SYLLABLE KI YEOK AE RI EULTHI EUTH
- 8155 = U+AC2A : HANGUL SYLLABLE KI YEOK AE RI EULPHI EUPH
- 8156 = U+AC2B : HANGUL SYLLABLE KI YEOK AE RI EULHI EUH
- 8157 = U+AC2E : HANGUL SYLLABLE KI YEOK AE PI EUPSIOS
- 8158 = U+AC32 : HANGUL SYLLABLE KI YEOK AE CI EUC
- 8159 = U+AC33 : HANGUL SYLLABLE KI YEOK AE CHI EUCH
- 815A = U+AC34 : HANGUL SYLLABLE KI YEOK AE KHI EUKH
- 8161 = U+AC35 : HANGUL SYLLABLE KI YEOK AE THI EUTH
- 8162 = U+AC36 : HANGUL SYLLABLE KI YEOK AE PHI EUPH

## Microsoft Windows Codepage : 950 (Traditional Chinese Big5)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYM</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	<u>!</u> 0021	<u>"</u> 0022	<u>#</u> 0023	<u>\$</u> 0024	<u>%</u> 0025	<u>&amp;</u> 0026	<u>'</u> 0027	<u>(</u> 0028	<u>)</u> 0029	<u>*</u> 002A	<u>+</u> 002B	<u>,</u> 002C	<u>-</u> 002D	<u>.</u> 002E	<u>/</u> 002F
30	<u>0</u> 0030	<u>1</u> 0031	<u>2</u> 0032	<u>3</u> 0033	<u>4</u> 0034	<u>5</u> 0035	<u>6</u> 0036	<u>7</u> 0037	<u>8</u> 0038	<u>9</u> 0039	<u>:</u> 003A	<u>;</u> 003B	<u>&lt;</u> 003C	<u>=</u> 003D	<u>&gt;</u> 003E	<u>?</u> 003F
40	<u>@</u> 0040	<u>A</u> 0041	<u>B</u> 0042	<u>C</u> 0043	<u>D</u> 0044	<u>E</u> 0045	<u>F</u> 0046	<u>G</u> 0047	<u>H</u> 0048	<u>I</u> 0049	<u>J</u> 004A	<u>K</u> 004B	<u>L</u> 004C	<u>M</u> 004D	<u>N</u> 004E	<u>O</u> 004F
50	<u>P</u> 0050	<u>Q</u> 0051	<u>R</u> 0052	<u>S</u> 0053	<u>T</u> 0054	<u>U</u> 0055	<u>V</u> 0056	<u>W</u> 0057	<u>X</u> 0058	<u>Y</u> 0059	<u>Z</u> 005A	<u>[</u> 005B	<u>\</u> 005C	<u>]</u> 005D	<u>^</u> 005E	<u>_</u> 005F
60	<u>`</u> 0060	<u>a</u> 0061	<u>b</u> 0062	<u>c</u> 0063	<u>d</u> 0064	<u>e</u> 0065	<u>f</u> 0066	<u>g</u> 0067	<u>h</u> 0068	<u>i</u> 0069	<u>j</u> 006A	<u>k</u> 006B	<u>l</u> 006C	<u>m</u> 006D	<u>n</u> 006E	<u>o</u> 006F
70	<u>p</u> 0070	<u>q</u> 0071	<u>r</u> 0072	<u>s</u> 0073	<u>t</u> 0074	<u>u</u> 0075	<u>v</u> 0076	<u>w</u> 0077	<u>x</u> 0078	<u>y</u> 0079	<u>z</u> 007A	<u>{</u> 007B	<u> </u> 007C	<u>}</u> 007D	<u>~</u> 007E	<u>DEL</u> 007F
80		<u>81</u>	<u>82</u>	<u>83</u>	<u>84</u>	<u>85</u>	<u>86</u>	<u>87</u>	<u>88</u>	<u>89</u>	<u>8A</u>	<u>8B</u>	<u>8C</u>	<u>8D</u>	<u>8E</u>	<u>8F</u>
90	<u>90</u>	<u>91</u>	<u>92</u>	<u>93</u>	<u>94</u>	<u>95</u>	<u>96</u>	<u>97</u>	<u>98</u>	<u>99</u>	<u>9A</u>	<u>9B</u>	<u>9C</u>	<u>9D</u>	<u>9E</u>	<u>9F</u>
AA	<u>AA</u>	<u>A1</u>	<u>A2</u>	<u>A3</u>	<u>A4</u>	<u>A5</u>	<u>A6</u>	<u>A7</u>	<u>A8</u>	<u>A9</u>	<u>AA</u>	<u>AB</u>	<u>AC</u>	<u>AD</u>	<u>AE</u>	<u>AF</u>
BA	<u>BA</u>	<u>B1</u>	<u>B2</u>	<u>B3</u>	<u>B4</u>	<u>B5</u>	<u>B6</u>	<u>B7</u>	<u>B8</u>	<u>B9</u>	<u>BA</u>	<u>BB</u>	<u>BC</u>	<u>BD</u>	<u>BE</u>	<u>BF</u>
CA	<u>CA</u>	<u>C1</u>	<u>C2</u>	<u>C3</u>	<u>C4</u>	<u>C5</u>	<u>C6</u>	<u>C7</u>	<u>C8</u>	<u>C9</u>	<u>CA</u>	<u>CB</u>	<u>CC</u>	<u>CD</u>	<u>CE</u>	<u>CF</u>
DA	<u>DA</u>	<u>D1</u>	<u>D2</u>	<u>D3</u>	<u>D4</u>	<u>D5</u>	<u>D6</u>	<u>D7</u>	<u>D8</u>	<u>D9</u>	<u>DA</u>	<u>DB</u>	<u>DC</u>	<u>DD</u>	<u>DE</u>	<u>DF</u>
EA	<u>EA</u>	<u>E1</u>	<u>E2</u>	<u>E3</u>	<u>E4</u>	<u>E5</u>	<u>E6</u>	<u>E7</u>	<u>E8</u>	<u>E9</u>	<u>EA</u>	<u>EB</u>	<u>EC</u>	<u>ED</u>	<u>EE</u>	<u>EF</u>
FA	<u>FA</u>	<u>F1</u>	<u>F2</u>	<u>F3</u>	<u>F4</u>	<u>F5</u>	<u>F6</u>	<u>F7</u>	<u>F8</u>	<u>F9</u>	<u>FA</u>	<u>FB</u>	<u>FC</u>	<u>FD</u>	<u>FE</u>	

00 = U+0000 : NULL  
 01 = U+0001 : START OF HEADING  
 02 = U+0002 : START OF TEXT  
 03 = U+0003 : END OF TEXT  
 04 = U+0004 : END OF TRANSMISSION  
 05 = U+0005 : ENQUIRY  
 06 = U+0006 : ACKNOWLEDGE  
 07 = U+0007 : BELL  
 08 = U+0008 : BACKSPACE  
 09 = U+0009 : HORIZONTAL TABULATION  
 0A = U+000A : LINE FEED  
 0B = U+000B : VERTICAL TABULATION  
 0C = U+000C : FORM FEED  
 0D = U+000D : CARRIAGE RETURN  
 0E = U+000E : SHIFT OUT  
 0F = U+000F : SHIFT IN  
 10 = U+0010 : DATA LINK ESCAPE  
 11 = U+0011 : DEVICE CONTROL ONE  
 12 = U+0012 : DEVICE CONTROL TWO  
 13 = U+0013 : DEVICE CONTROL THREE  
 14 = U+0014 : DEVICE CONTROL FOUR  
 15 = U+0015 : NEGATIVE ACKNOWLEDGE  
 16 = U+0016 : SYNCHRONOUS IDLE

## Microsoft Windows Codepage : 950 (Traditional Chinese Big5)

Lead Byte = 0xA1

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
40	3000	FF0C	3001	3002	FF0E	2027	FF1B	FF1A	FF1F	FF01	FE30	2026	2025	FE50	FE51	FE52
50	00B7	FE54	FE55	FE56	FE57	FF5C	2013	FE31	2014	FE33	2574	FE34	FE4F	FF08	FF09	FE35
60	FE36	FF5B	FF5D	FE37	FE38	3014	3015	FE39	FE3A	3010	3011	FE3B	FE3C	300A	300B	FE3D
70	FE3E	3008	3009	FE3F	FE40	300C	300D	FE41	FE42	300E	300F	FE43	FE44	FE59	FE5A	
80																
90																
A0		{	}	(	)	'	,	"	"	"	"	~	~	#	&	*
B0	※	§	”	○	●	△	▲	⊙	☆	★	◇	◆	□	■	▽	▼
C0	Ⓢ	‰	-	—	—	—	---	---	---	---	~	~	#	Ⓢ	*	+
D0	—	×	÷	±	√	<	>	=	≤	≥	≠	∞	≡	≡	+	-
E0	<	>	=	~	∩	∪	⊥	∠	∟	△	log	ln	∫	Ⓢ	∴	∴
F0	♀	♂	⊕	⊙	↑	↓	←	→	↖	↗	↙	↘	∥		/	
	2640	2642	2295	2299	2191	2193	2190	2192	2196	2197	2199	2198	2225	2223	FF0F	

- A140 = U+3000 : IDEOGRAPHIC SPACE  
 A141 = U+FF0C : FULLWIDTH COMMA  
 A142 = U+3001 : IDEOGRAPHIC COMMA  
 A143 = U+3002 : IDEOGRAPHIC FULL STOP  
 A144 = U+FF0E : FULLWIDTH FULL STOP  
 A145 = U+2027 : HYPHENATION POINT  
 A146 = U+FF1B : FULLWIDTH SEMI COLON  
 A147 = U+FF1A : FULLWIDTH COLON  
 A148 = U+FF1F : FULLWIDTH QUESTION MARK  
 A149 = U+FF01 : FULLWIDTH EXCLAMATION MARK  
 A14A = U+FE30 : PRESENTATION FORM FOR VERTICAL TWO DOT LEADER  
 A14B = U+2026 : HORIZONTAL ELLIPSIS  
 A14C = U+2025 : TWO DOT LEADER  
 A14D = U+FE50 : SMALL COMMA  
 A14E = U+FE51 : SMALL IDEOGRAPHIC COMMA  
 A14F = U+FE52 : SMALL FULL STOP  
 A150 = U+00B7 : MIDDLE DOT  
 A151 = U+FE54 : SMALL SEMI COLON  
 A152 = U+FE55 : SMALL COLON  
 A153 = U+FE56 : SMALL QUESTION MARK  
 A154 = U+FE57 : SMALL EXCLAMATION MARK  
 A155 = U+FF5C : FULLWIDTH VERTICAL LINE  
 A156 = U+2013 : EN DASH  
 A157 = U+FE31 : PRESENTATION FORM FOR VERTICAL EM DASH  
 A158 = U+2014 : EM DASH  
 A159 = U+FE33 : PRESENTATION FORM FOR VERTICAL LOW LINE  
 A15A = U+2574 : BOX DRAWINGS LIGHT LEFT  
 A15B = U+FE34 : PRESENTATION FORM FOR VERTICAL WAVY LOW LINE

## Microsoft Windows Codepage : 1258 (Viet Nam)

	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F
00	<u>NUL</u> 0000	<u>STX</u> 0001	<u>SOT</u> 0002	<u>ETX</u> 0003	<u>EOT</u> 0004	<u>ENQ</u> 0005	<u>ACK</u> 0006	<u>BEL</u> 0007	<u>BS</u> 0008	<u>HT</u> 0009	<u>LF</u> 000A	<u>VT</u> 000B	<u>FF</u> 000C	<u>CR</u> 000D	<u>SO</u> 000E	<u>SI</u> 000F
10	<u>DLE</u> 0010	<u>DC1</u> 0011	<u>DC2</u> 0012	<u>DC3</u> 0013	<u>DC4</u> 0014	<u>NAK</u> 0015	<u>SYM</u> 0016	<u>ETB</u> 0017	<u>CAN</u> 0018	<u>EM</u> 0019	<u>SUB</u> 001A	<u>ESC</u> 001B	<u>FS</u> 001C	<u>GS</u> 001D	<u>RS</u> 001E	<u>US</u> 001F
20	<u>SP</u> 0020	!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
30	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
40	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
50	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
60	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
70	p	q	r	s	t	u	v	w	x	y	z	{		}	~	<u>DEL</u> 007F
80	€ 20AC	⋯	ƒ 0192	„ 201E	… 2026	† 2020	‡ 2021	ˆ 02C6	% 2030	⋯	< 2039	œ 0152	⋯	⋯	⋯	⋯
90	⋯	˘ 2018	˙ 2019	˚ 201C	˛ 201D	• 2022	– 2013	— 2014	˜ 02DC	™ 2122	⋯	> 203A	œ 0153	⋯	⋯	ÿ 0178
A0	<u>NBSP</u> 00A0	ı 00A1	ı̇ 00A2	£ 00A3	¤ 00A4	¥ 00A5	ı̇ 00A6	Š 00A7	ˆ 00A8	© 00A9	ª 00AA	« 00AB	¬ 00AC	– 00AD	® 00AE	— 00AF
B0	° 00B0	± 00B1	² 00B2	³ 00B3	´ 00B4	µ 00B5	¶ 00B6	· 00B7	¸ 00B8	¹ 00B9	º 00BA	» 00BB	¼ 00BC	½ 00BD	¾ 00BE	¿ 00BF
C0	À 00C0	Á 00C1	Â 00C2	Ã 0102	Ä 00C4	Å 00C5	Æ 00C6	Ç 00C7	È 00C8	É 00C9	Ê 00CA	Ë 00CB	Ì 0300	Í 00CD	Î 00CE	Ï 00CF
D0	Ð 0110	Ñ 00D1	Ò 0309	Ó 00D3	Ô 00D4	Õ 01A0	Ö 00D6	× 00D7	Ø 00D8	Ù 00D9	Ú 00DA	Û 00DB	Ü 00DC	Ý 01AF	ÿ 0303	ß 00DF
E0	à 00E0	á 00E1	â 00E2	ã 0103	ä 00E4	å 00E5	æ 00E6	ç 00E7	è 00E8	é 00E9	ê 00EA	ë 00EB	ì 0301	í 00ED	î 00EE	ï 00EF
F0	đ 0111	ñ 00F1	õ 0323	ó 00F3	õ 00F4	ø 01A1	ö 00F6	÷ 00F7	ø 00F8	ù 00F9	ú 00FA	û 00FB	ü 00FC	ur 01B0	đ 20AB	ÿ 00FF

- 00 = U+0000 : NULL  
 01 = U+0001 : START OF HEADING  
 02 = U+0002 : START OF TEXT  
 03 = U+0003 : END OF TEXT  
 04 = U+0004 : END OF TRANSMISSION  
 05 = U+0005 : ENQUIRY  
 06 = U+0006 : ACKNOWLEDGE  
 07 = U+0007 : BELL  
 08 = U+0008 : BACKSPACE  
 09 = U+0009 : HORIZONTAL TABULATION  
 0A = U+000A : LINE FEED  
 0B = U+000B : VERTICAL TABULATION  
 0C = U+000C : FORM FEED  
 0D = U+000D : CARRIAGE RETURN  
 0E = U+000E : SHIFT OUT  
 0F = U+000F : SHIFT IN  
 10 = U+0010 : DATA LINK ESCAPE  
 11 = U+0011 : DEVICE CONTROL ONE  
 12 = U+0012 : DEVICE CONTROL TWO  
 13 = U+0013 : DEVICE CONTROL THREE  
 14 = U+0014 : DEVICE CONTROL FOUR  
 15 = U+0015 : NEGATIVE ACKNOWLEDGE  
 16 = U+0016 : SYNCHRONOUS IDLE